

DRY FAUCET CARTRIDGES

Dry faucet range is an optimal solution for lead-free policy products, as there is no contact between the water and the metal of the body. It helps to save costs because faucets bodies and spouts can be manufactured with different materials while allowing brass weight reduction in the faucet body.



SN-35 SISO



KTW-WRAS-AS/NZS-NSF-ACS
CERTIFIED




ADVANTAGES

- Optimal solution for lead-free policy products.
- No contact between water and metal.
- Specially designed for kitchen applications.
- Different configurations as it is part of Endura family, such as Standard, Cold or Ecoflow options.



SISO CARTRIDGE
ALLOWS LIGHTER
BODY DESIGN AND
EASIER CASTING

GUIDED
WATER
OUTLET



WATER INLET
HOSES PLUGGED
DIRECTLY INTO THE
CARTRIDGE


SN-35 BISO



ADVANTAGES

Optimal solution for lead-free policy products.
No contact between water and metal.
Specially designed for basin applications.
Different configurations as it is part of Endura family, such as STD, Cold or Ecoflow options.

SPOUT CORE LINKING THE CARTRIDGE OUTLET AND AIREATOR PLUGGED DIRECTLY INTO THE HOSE



BISO CARTRIDGE ALLOWS LIGHTER BODY DESIGN AND EASIER CASTING

WATER INLET HOSES PLUGGED DIRECTLY INTO THE CARTRIDGE



SEDAL GROUP

Polígono Industrial Can Sunyer · C/Química, 2-12
E-08740 Sant Andreu de la Barca (Barcelona) · Spain
Tel. +34 93 680 33 00 · Fax +34 93 680 33 03
sedal@sedal.com · www.sedal.com